



Product Catalog

Website Edition · September 2026



Selected product specifications

127 models across 10 product categories

Compiled from selected 2025 technical materials.

Explore the range

Selected product specifications

A structured selection of tags, labels, detachers and accessories for retail merchandise protection.

Hard tags	27 models	03
Alarming tags	16 models	10
Soft labels	17 models	14
Bottle protection	10 models	19
Optical tags	3 models	22
Ink tags & pins	6 models	23
Detachers	18 models	25
Deactivators	8 models	30
Pins, lanyards & accessories	14 models	32
Coils	8 models	36

Reading the specifications

Values and option expressions are retained from the selected source materials. A slash separates listed versions or options; it does not mean every version supports both frequencies. N/A means not applicable as stated in the source.

Prepared for the website in September 2026 from 2025 technical materials. This edition is a specification reference and contains no pricing or current quotation.

Hard tags

Selected product specifications



E1001

Mini Square

Frequency 8.2 MHz

Size 48 × 42 × 18mm

Packing 1000pcs/ctn; 10kgs; 38 × 29 × 25cm



E1002

Tiny Square

Frequency 8.2 MHz

Size 43 × 38 × 18mm

Packing 1000pcs/ctn; 9kgs; 38 × 29 × 22cm



E1003

Golf Smooth-S

Frequency 8.2 MHz / 58 kHz

Size 45mm DIA

Packing 500pcs/ctn; 8kgs; 38 × 29 × 22cm



E1004

Golf Smooth-M

Frequency 8.2 MHz / 58 kHz

Size 54mm DIA

Packing 500pcs/ctn; 10kgs; 38 × 29 × 33cm

Hard tags

Selected product specifications



E1006

Golf Groove-L

Frequency 8.2 MHz / 58 kHz

Size 63mm DIA

Packing 250pcs/ctn; 6kgs; 38 × 29 × 25cm



E1009

R52 with Pin

Frequency 8.2 MHz

Size 52mm DIA

Packing 500pcs/ctn; 8kgs; 38 × 29 × 30cm



E1010

R42 Tag

Frequency 8.2 MHz

Size 42mm DIA

Packing 1000pcs/ctn; 9kgs; 38 × 29 × 25cm



E1011

R50 Tag

Frequency 8.2 MHz

Size 50mm DIA

Packing 1000pcs/ctn; 11kgs; 38 × 29 × 33cm

Hard tags

Selected product specifications




E1012

R53 Tag

Frequency 8.2 MHz

Size 53mm DIA

Packing 1000pcs/ctn; 11kgs; 38 × 29 × 33cm




E1013

Pencil-S

Frequency 8.2 MHz / 58 kHz

Size 45 × 19 × 12mm

Packing 1000pcs/ctn; 8kgs; 38 × 29 × 13cm



E1015

Pencil-M

Frequency 8.2 MHz / 58 kHz

Size 54 × 18 × 15mm

Packing 1000pcs/ctn; 9kgs; 38 × 29 × 16cm



E1016

Pencil-L


Frequency 8.2 MHz / 58 kHz

Size 61 × 15 × 20mm

Packing 1000pcs/ctn; 12kgs; 38 × 29 × 20cm

Hard tags

Selected product specifications




E1017

Pencil-L

Frequency 8.2 MHz / 58 kHz

Size 65 × 17 × 18mm

Packing 1000pcs/ctn; 11kgs; 38 × 29 × 20cm



E1018

Pencil-XL

Frequency 8.2 MHz / 58 kHz

Size 72 × 17 × 18mm

Packing 1000pcs/ctn; 15kgs; 38 × 29 × 25cm



E1019

Pencil-MG

Frequency 58 kHz

Size 70 × 30 × 19mm

Packing 1000pcs/ctn; 12kgs; 38 × 29 × 33cm



E1020

Pencil-Ultra

Frequency 58 kHz

Size 75 × 30 × 20mm

Packing 500pcs/ctn; 7kgs; 38 × 29 × 20cm

Hard tags

Selected product specifications



E1021

Fish tag

Frequency 58 kHz

Size 59 × 18mm

Packing 1000pcs/ctn; 8.5kgs; 38 × 29 × 16cm



E1023

Slipper Tag

Frequency 58 kHz

Size 61 × 30mm

Packing 1000pcs/ctn; 8kgs; 59 × 40 × 13cm



E1024

Triangle Tag

Frequency 58 kHz

Size 59 × 22mm

Packing 1000pcs/ctn; 12.5kgs; 59 × 40 × 13cm



E1028

Padlock

Frequency 8.2 MHz / 58 kHz

Size 60 × 37mm

Packing 1000pcs/ctn; 15kgs; 38 × 29 × 35cm

Hard tags

Selected product specifications



E1103

Golf Tag

Frequency 58 kHz

Size 56 × 33.5 × 28.6mm;

Packing 500pcs/ctn; 12kgs; 38 × 29 × 25cm



E1201

Lanyard Pencil

Frequency 8.2 MHz / 58 kHz

Size 53 × 12 × 20mm

Lanyard length 175mm

Packing 1000pcs/ctn; 11kgs; 38 × 29 × 25cm



E1202

Lanyard Footwear Tag

Frequency 8.2 MHz / 58 kHz

Size 28.5 × 18.5 × 23mm

Lanyard length 175mm

Packing 1000pcs/ctn; 20kgs; 38 × 29 × 16+25cm



E1203

Lanyard Pencil-SP

Frequency 8.2 MHz / 58 kHz

Size 46 × 19 × 13mm

Lanyard length 175mm

Packing 1000pcs/ctn; 9.5kgs; 38 × 29 × 14cm

Hard tags

Selected product specifications



E1204

Lanyard Napoleon

Frequency 8.2 MHz / 58 kHz

Size 39 × 25 × 19mm

Lanyard length 175mm

Packing 1000pcs/ctn; 11kgs; 38 × 29 × 25cm



E1205


Lanyard Triangle Tag

Frequency 58 kHz

Size 59 × 22mm

Lanyard length 175mm

Packing 1000pcs/ctn; 15kgs; 59 × 40 × 16cm



E7037

Lipstick Safer

Frequency 8.2 MHz / 58 kHz

Size 45DIA × 160mm

Inner size / diameter 24DIA × 85-160mm

Packing 100pcs/ctn; 4.5kgs; 30 × 24 × 35cm

Alarming tags

Selected product specifications



E3002

Spider Wrap-M-2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 50DIA × 45mm

Cable 1.2DIA × 300/600mm

Packing 100pcs/ctn; 6.5kgs; 38 × 29 × 18cm



E3008

Spider Wrap-M-3A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 50DIA × 45mm

Cable 1.2DIA × 300/600mm

Packing 100pcs/ctn; 6.5kgs; 38 × 29 × 18cm



E3003

Spider Wrap-L-2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 70DIA × 45mm

Cable 1.2DIA × 800mm

Packing 100pcs/ctn; 11kgs; 38 × 29 × 33cm



E3004

Spider Wrap-L-3A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 70DIA × 45mm

Cable 1.2DIA × 800mm

Packing 100pcs/ctn; 11kgs; 38 × 29 × 33cm

Alarming tags

Selected product specifications



E3005


Alarming Net - 2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 50DIA × 35mm

Net length 180/360/540/720mm

Packing 100pcs/ctn; 10kgs; 47 × 25 × 33cm



E3013

Alarming Net with Base - 2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 50DIA × 35mm

Net length 180/360/540/720mm

Packing 50pcs/ctn; 6kgs; 47 × 25 × 30cm



E3006

Spider Wrap-M-2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 50DIA × 47mm

Cable 1.2DIA × 600mm

Packing 100pcs/ctn; 7kgs; 38 × 29 × 18cm



E3007

Spider Wrap-L-2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 73DIA × 50mm

Cable 1.2DIA × 800mm

Packing 100pcs/ctn; 11kgs; 38 × 29 × 33cm

Alarming tags

Selected product specifications



E3009

Self-Retract Spider Wrap-M

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 50DIA × 50mm

Cable 1.2DIA × 600mm

Packing 100pcs/ctn; 12kgs; 38 × 29 × 20cm



E3101

Cablelock-2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 60 × 34 × 22mm

Cable 1.2DIA × 175mm

Packing 100pcs/ctn; 7kgs; 38 × 29 × 16cm



E3102

Cablelock-3A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz

Size 60 × 34 × 22mm

Cable 1.2DIA × 175mm

Packing 100pcs/ctn; 7kgs; 38 × 29 × 16cm



E3103

Cablelock-2A

Frequency 58 kHz / 8.2 MHz

Size 60 × 32 × 18mm

Cable 1.8DIA × 110mm

Packing 100pcs/ctn; 7kgs; 38 × 29 × 16cm

Alarming tags

Selected product specifications



E3104

Cablelock-3A

Frequency 58 kHz / 8.2 MHz

Size 60 × 32 × 18mm

Cable 1.8DIA × 110mm

Packing 100pcs/ctn; 7kgs; 38 × 29 × 16cm



E3201

Alarming Pin-2A

Frequency 58 kHz / 8.2 MHz

Size 50 × 40 × 25mm

Pin length 16/19mm

Packing 100pcs/ctn; 6kgs; 38 × 29 × 16cm



E3202

ALarming Pin-3A

Frequency 58 kHz / 8.2 MHz

Size 50 × 40 × 25mm

Pin length 16/19mm

Packing 100pcs/ctn; 6kgs; 38 × 29 × 16cm



E3205

ALarming Pin-2A

Frequency 58 kHz / 8.2 MHz / 58 kHz & 8.2 MHz


Size 50 × 35 × 20mm

Pin length 16/19mm

Packing 100pcs/ctn; 6kgs; 38 × 29 × 16cm

Soft labels

Selected product specifications



E2001

RF Label 40x40

Frequency 8.2 MHz

Size 40 × 40mm

Packing 20000pcs/ctn; 10kgs; 38 × 29 × 25cm



E2002

RF Label 30x30

Frequency 8.2 MHz

Size 30 × 30mm

Packing 20000pcs/ctn; 7kgs; 38 × 29 × 22cm




E2003

RF Label Dia40

Frequency 8.2 MHz

Size 40mm DIA

Packing 20000pcs/ctn; 9kgs; 38 × 29 × 25cm



E2004

RF Label-Printable

Frequency 8.2 MHz

Size 40 × 40mm

Packing 20000pcs/ctn; 11kgs; 38 × 29 × 25cm

Soft labels

Selected product specifications




E2005

RF Sew in Label

Frequency 8.2 MHz

Size 46 × 60mm

Packing 10000pcs/ctn; 10kgs; 45 × 25 × 25cm



E2006

RF Freezer Label

Frequency 8.2 MHz

Size 40 × 40mm

Packing 20000pcs/ctn; 11kgs; 38 × 29 × 25cm



E2007

Non-deactivatable RF Label 40x40

Frequency 8.2 MHz

Size 40 × 40mm

Packing 20000pcs/ctn; 12kgs; 38 × 29 × 25cm



E2008

RF Label 50x50

Frequency 8.2 MHz

Size 50 × 50mm

Packing 20000pcs/ctn; 16kgs; 38 × 29 × 30cm

Soft labels

Selected product specifications




E2009

RF Sew in Label (COIL INSIDE)

Frequency 8.2 MHz

Size 48 × 54mm

Packing 1000pcs/ctn; 4kgs; 38 × 29 × 16cm




E2010

RF Freezer Label

Frequency 8.2 MHz

Size 50 × 50mm

Packing 20000pcs/ctn; 16kgs; 38 × 29 × 30cm



E2011

RF LABEL 50*15MM

Frequency 8.2 MHz

Size 50 × 15mm

Packing 20000pcs/ctn; 5.7kgs; 31 × 31 × 11cm



E2101

AM label

Frequency 58 kHz

Size 45 × 11mm

Packing 20000pcs/ctn; 13kgs; 44 × 29 × 25cm

Soft labels

Selected product specifications



E2102

AM label-Insert

Frequency 58 kHz

Size 51 × 11mm

Packing 12000pcs/ctn; 7kgs; 44 × 29 × 25cm



E2103

AM Sew-in Label

Frequency 58 kHz

Size 65 × 20mm

Packing 10000pcs/ctn; 8kgs; 43 × 29 × 22cm



E2104

AM Waterproof Label

Frequency 58 kHz

Size 52 × 17mm

Packing 10000pcs/ctn; 9kgs; 38 × 29 × 25cm



E2105

AM Non-deactivatable Label

Frequency 58 kHz

Size 45 × 11mm

Packing 16000pcs/ctn; 15kgs; 38 × 29 × 25cm

Soft labels

Selected product specifications



E2106

AM Roll Label

Frequency 58 kHz

Size 45 × 11mm

Packing 50000pcs/ctn; 17.5kgs; 46 × 46 × 60cm

Bottle protection

Selected product specifications



E1401

Bottle Tag

Frequency 8.2 MHz

Size 50mm DIA

Lanyard length 160mm

Packing 250pcs/ctn; 7kgs; 38 × 29 × 22cm



E1402

Bottle Tag

Frequency 58 kHz

Size 36 × 30mm

Lanyard length 160mm

Packing 500pcs/ctn; 13kgs; 38 × 29 × 30cm



E1403

Bottle Tag

Frequency 58 kHz

Size 36 × 30mm

Lanyard length 160mm

Packing 500pcs/ctn; 10kgs; 38 × 29 × 30cm



E1404

Bottle Cap

Frequency 58 kHz

Size 65Dia × 80mm

Packing 200pcs/ctn; 13kgs; 57 × 30 × 37cm

Bottle protection

Selected product specifications



E1405

Bottle Cap

Frequency 58 kHz

Size 70 × 45mm

Packing 500pcs/ctn; 10kgs; 38 × 29 × 30cm



E1406

Bottle Cap

Frequency 8.2 MHz / 58 kHz

Size 55 × 75mm

Packing 125pcs/ctn; 13kgs; 38 × 29 × 30cm



E1408

Bottle Tag

Frequency 8.2 MHz / 58 kHz

Size 50mm DIA

Lanyard length 160mm

Packing 250pcs/ctn; 7kgs; 38 × 29 × 30cm



E1409

Bottle Tag


Frequency 8.2 MHz / 58 kHz

Size 58 × 51 × 13mm

Packing 1000pcs/ctn; 13.5kgs; 59 × 40 × 16cm

Bottle protection

Selected product specifications



E1410

Bottle Cap

Frequency 8.2 MHz / 58 kHz

Size 58 × 51 × 32mm

Packing 500pcs/ctn; 9.5kgs; 59 × 40 × 16cm



E1411

Bottle Cap

Frequency 8.2 MHz / 58 kHz

Size 90 × 75 × 42mm

Packing 100pcs/ctn; 7kgs; 59 × 40 × 13cm

Optical tags

Selected product specifications



E1501

Optical Tag

Frequency 8.2 MHz / 58 kHz

Size 60 × 16 × 24mm

Packing 1000pcs/ctn; 10kgs; 38 × 29 × 25cm



E1502

Optical Tag

Frequency 8.2 MHz / 58 kHz

Size 70 × 16 × 24mm

Packing 1000pcs/ctn; 11kgs; 38 × 29 × 25cm



E1503

Optical Tag

Frequency 8.2 MHz / 58 kHz

Size 28.7 × 18 × 27mm

Packing 1000pcs/ctn; 8kgs; 38 × 29 × 16cm

Ink tags & pins

Selected product specifications



E1301

Ink Tag

Frequency 8.2 MHz / 58 kHz

Size 50DIA × 20mm

Packing 500pcs/ctn; 8kgs; 38 × 29 × 25cm



E1302

Ink Tag

Frequency 8.2 MHz / 58 kHz

Size 50DIA × 19mm

Packing 1000pcs/ctn; 12kgs; 38 × 29 × 33cm



E1303

Ink Pin

Frequency N / A

Size 42 × 28 × 11mm

Pin length 16/19mm

Packing 1000pcs/ctn; 6kgs; 38 × 29 × 25cm



E1304

Ink Pin

Frequency N / A

Size 42 × 26 × 11mm

Pin length 16/19mm

Packing 1000pcs/ctn; 7kgs; 38 × 29 × 25cm

Ink tags & pins

Selected product specifications



E1305

Pinless ink tag

Frequency 8.2 MHz / 58 kHz

Size 54 × 14 × 16mm

Packing 1000pcs/ctn; 10.5kgs; 38 × 29 × 16cm



E1306

Ink Tag

Frequency 8.2 MHz

Size 54DIA × 23mm

Packing 500pcs/ctn; 10kgs; 38 × 29 × 33cm

Detachers

Selected product specifications



E5001

Detacher-Manual

Strength N/A

Size 15DIA × 95mm

Packing 50pcs/ctn; 2kgs; 20 × 20 × 15cm



E5002

Detacher-Mini

Strength Normal

Size 22DIA × 58mm

Packing 200pcs/ctn; 14kgs; 38 × 29 × 20cm



E5003

Detacher

Strength Normal

Size 68DIA × 25mm

Packing 100pcs/ctn; 21kgs; 38 × 29 × 25cm



E5004

Detacher

Strength Super

Size 75DIA × 45mm

Packing 50pcs/ctn; 22kgs; 38 × 29 × 25cm

Detachers

Selected product specifications



E5005

Detacher

Strength Super

Size 70DIA × 45mm

Packing 50pcs/ctn; 21kgs; 38 × 29 × 25cm



E5006

Detacher

Strength Super

Size 82DIA × 75mm

Packing 50pcs/ctn; 20kgs; 38 × 29 × 33cm



E5007

Detacher Lid

Strength N/A

Size 21DIA × 34mm

Packing customized



E5008

Multi-function detacher

Strength Super/Ultra

Size 111 × 50 × 47mm

Packing 30pcs/ctn; 12kgs; 38 × 29 × 22cm

Detachers

Selected product specifications



E5009

Multi-function detacher

Strength Super/Ultra

Size 111 × 50 × 47mm

Packing 30pcs/ctn; 12kgs; 38 × 29 × 22cm



E5011


Detacher with Lanyard

Strength Super

Size 40DIA × 40mm

Lanyard length 1200mm

Packing 100pcs/ctn; 25kgs; 42 × 29 × 17cm



E5012

Detacher-Ultra

Strength Ultra

Size 69Dia' × 40.5mm

Packing 50pcs/ctn; 25kgs; 38 × 29 × 25cm



E5013

Detacher Locker


Strength N/A

Size 45DIA × 38mm

Packing customized

Detachers

Selected product specifications



E5014

Detacher-Ultra

Strength Ultra

Size 83DIA × 67mm

Packing 15pcs/ctn; 20kgs; 38 × 29 × 22cm



E5101

Detacher-Universal

Strength Super

Size 200 × 100 × 60mm

Packing 5pcs/ctn; 10kgs; 27 × 27 × 50cm



E5103

Detacher-Manual

Strength N/A

Size 200 × 100 × 30mm

Packing 10pcs/ctn; 5kgs; 38 × 29 × 25cm



E5104

Detacher-Electric

Strength Super

Size 220 × 170 × 60mm

Packing 10pcs/ctn; 19kgs; 40 × 40 × 50cm

Detachers

Selected product specifications



E5105

Detacher-Electric

Strength Super

Size 150 × 100 × 60mm

Packing 10pcs/ctn; 17kgs; 30 × 30 × 50cm



E5510

Detacher-Electric Mechanical (for E1610)

Size 100 × 100 × 100mm

Packing 10pcs/ctn; 17kgs; 30 × 30 × 50cm

Deactivators

Selected product specifications



E6001

AM Deactivator

Frequency 58 kHz

Size 225 × 190mm

Hole size 210 × 175mm

Power 220V Only

Packing 10pcs/ctn; 21kgs; 38 × 29 × 90cm



E6001U

AM Deactivator

Frequency 58 kHz

Size 225 × 190mm

Hole size 210 × 175mm

Power 110V / 220V

Packing 10pcs/ctn; 21kgs; 38 × 29 × 90cm



E6002

AM Deactivator Pad

Frequency 58 kHz

Size 157 × 106 × 5mm

Hole size N/A

Power N/A

Packing 90pcs/ctn; 16kgs; 38 × 29 × 15cm



E6003

AM Deactivator

Frequency 58 kHz

Size 240 × 220mm

Hole size 220 × 180mm

Power 220V Only

Packing 10pcs/ctn; 22kgs; 38 × 29 × 90cm

Deactivators

Selected product specifications



E6003U

AM Deactivator

Frequency 58 kHz

Size 240 × 220mm

Hole size 220 × 180mm

Power 110V / 220V

Packing 10pcs/ctn; 22kgs; 38 × 29 × 90cm



E6102

RF Deactivator

Frequency 8.2 MHz

Size 245 × 235mm

Hole size 220 × 205mm

Power 110V / 220V

Packing 10pcs/ctn; 18kgs; 38 × 29 × 90cm



E6104

RF Deactivator with Counter-Glass

Frequency 8.2 MHz

Size 240 × 240 × 30mm

Hole size 220 × 220mm

Power 110V / 220V

Packing 10pcs/ctn; 20kgs; 38 × 29 × 90cm



E6105

RF Deactivator with Counter-PC

Frequency 8.2 MHz

Size 240 × 240 × 30mm

Hole size 220 × 220mm

Power 110V / 220V

Packing 10pcs/ctn; 18kgs; 38 × 29 × 90cm

Pins, lanyards & accessories

Selected product specifications



E1101

Clutch

Frequency N / A

Size 27DIA × 19mm

Packing 2000pcs/ctn; 11kgs; 38 × 29 × 20cm



E1102

Stop Lock

Frequency N / A

Size 39 × 19 × 15mm

Inner size / diameter 6mm

Packing 2000pcs/ctn; 12kgs; 38 × 29 × 22cm



E1104

Stop Lock

Frequency N / A

Size 39 × 19 × 15mm

Inner size / diameter 8mm

Packing 2000pcs/ctn; 13kgs; 38 × 29 × 30cm



E4001

Lanyard

Size 1.2DIA × 175mm

Packing 10000pcs/ctn; 14kgs; 38 × 29 × 10cm

Pins, lanyards & accessories

Selected product specifications



E4002

Lanyard

Size 1.8DIA × 175mm

Packing 5000pcs/ctn; 13kgs; 38 × 29 × 16cm



E4003

Lanyard

Size 1.8DIA × 175mm

Packing 5000pcs/ctn; 11kgs; 38 × 29 × 16cm



E4004

Lanyard

Size 1.8DIA × 175mm

Packing 20000pcs/ctn; 16kgs; 38 × 29 × 20cm



E4005

Lanyard

Size 1.8DIA × 200mm

Packing 20000pcs/ctn; 14kgs; 38 × 29 × 33cm

Pins, lanyards & accessories

Selected product specifications



E4101

Steel Pin

Size 12mm DIA

Pin length 16/19mm

Packing 10000pcs/ctn; 15kgs; 38 × 29 × 16cm



E4102

Steel Pin

Size 14mm DIA

Pin length 16/19mm

Packing 10000pcs/ctn; 21kgs; 38 × 29 × 25cm




E4103

Plastic Pin

Size 20mm DIA

Pin length 16/19mm

Packing 10000pcs/ctn; 10kgs; 38 × 29 × 33cm



E4104

Clear Pin

Size 30mm DIA

Pin length 16/19mm

Packing 4000pcs/ctn; 9kgs; 38 × 29 × 35cm

Pins, lanyards & accessories

Selected product specifications



E4105

Revolving Pin

Size 12mm DIA

Pin length 16/19mm

Packing 10000pcs/ctn; 20kgs; 38 × 29 × 16cm



E4106

Plastic Pin


Size 14mm DIA

Pin length 16/19mm

Packing 10000pcs/ctn; 10kgs; 38 × 29 × 25cm

Coils

Selected product specifications



E1701

Ferrite Coil

Frequency 58 kHz

Ferrite 4Dia × 25mm

Packing 6000pcs/ctn; 12.5kgs; 38 × 26 × 15cm



E1702

Ferrite Coil

Frequency 58 kHz

Ferrite 4Dia × 28mm

Packing 5000pcs/ctn; 13.5kgs; 38 × 26 × 15cm



E1703

Ferrite Coil

Frequency 58 kHz

Ferrite 25mm

Packing 8000pcs/ctn; 11.2kgs; 38 × 26 × 15cm



E1704

Ferrite Coil


Frequency 58 kHz

Ferrite 33mm

Packing 4000pcs/ctn; 12kgs; 38 × 26 × 15cm

Coils

Selected product specifications



E1705

Ferrite Coil

Frequency 58 kHz

Ferrite 39mm

Packing 4000pcs/ctn; 14.5kgs; 38 × 26 × 15cm



E1706

Coil

Frequency 8.2 MHz

Size 35mm Dia

Packing 20000pcs/ctn; 11kgs; 48 × 37 × 42cm



E1707

Coil

Frequency 8.2 MHz

Size 42mm Dia

Packing 10000pcs/ctn; 5.7kgs; 48 × 37 × 32cm



E1708

Coil

Frequency 8.2 MHz

Size 45mm Dia

Packing 10000pcs/ctn; 5.9kgs; 48 × 37 × 42cm



Discuss your product requirements.

Share the model numbers and specifications you need.

ys@essencetag.com

Product Catalog

Website Edition · September 2026

Selected product specifications from 2025 technical materials.