




EAS Anti-theft Solution



Essence Technology



CONTENTS

COMPANY INTRODUCTION	02
-----------------------------	----

ANTI-SHOPLIFT TAGS

Alarming tags	06
EAS&RFID Combination	09
Hard tags	10
Ink tags	18
Optical tags	19
Bottle tags	20
Ferrite coil	22
Lanyards & pins	24
Paper labels	27
EAS Detachers	30
EAS Deactivator	34



COMPANY INTRODUCTION

Based in China, Essence Technology is a professional anti-shoplifting solution provider. With more than 10 years manufacturing experience, Essence Technology continuously support our worldwide partners with the portfolio of all EAS products, including but not limited to Pedestals, Deactivators, alarming tags, hard tags, soft labels, bottle tags, ink tags, detachors, lanyards and pins.


Essence Technology holds a smart, knowledgeable and innovative engineering team to meet the OEM or developing demands from our partners. Customers' interests are always Essence Technology's first priority.

Concentrate on manufacturing, stringency in quality, considerateness in service.

We are here, waiting for your requirement.



Trust creates
opportunity,
Innovation leads
the future





**Spider Wrap-M-2A E3002**

Size: 50DIA*45MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Cabel Spcs: 1.2DIA*300/600MM
Packing:100pcs/ctn; 6.5kgs; 38*29*18cm

**Spider Wrap-M-3A E3008**

Size: 50DIA*45MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Cabel Spcs: 1.2DIA*300/600MM
Packing:100pcs/ctn; 6.5kgs; 38*29*18cm

**Spider Wrap-L-2A E3003**


Size: 70DIA* 45MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Cabel Spcs: 1.2DIA*800MM
Packing:100pcs/ctn; 11kgs; 38*29*33cm

**Spider Wrap-L-3A E3004**

Size: 70DIA* 45MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Cabel Spcs: 1.2DIA*800MM
Packing:100pcs/ctn; 11kgs; 38*29*33cm

**Alarming Net - 2A E3005**

Size: 50DIA*35MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Net length: 180/360/540/720MM
Packing:100pcs/ctn; 10kgs; 47*25*33cm

**Alarming Net with Base - 2A E3013**

Size: 50DIA*35MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Net length: 180/360/540/720MM
Packing:50pcs/ctn; 6kgs; 47*25*30cm

**Spider Wrap-M-2A****E3006****Size:** 50DIA*47MM**Frequency:** 58KHZ/8.2MHZ/58K&8.2M**Cabel Spcs:** 1.2DIA*600MM**Packing:** 100pcs/ctn; 7kgs; 38*29*18cm**Spider Wrap-L-2A****E3007****Size:** 73DIA* 50MM**Frequency:** 58KHZ/8.2MHZ/58K&8.2M**Cabel Spcs:** 1.2DIA*800MM**Packing:** 100pcs/ctn; 11kgs; 38*29*33cm**Self-Retract Spider Wrap-M****E3009****Size:** 50DIA* 50MM**Frequency:** 58KHZ/8.2MHZ/58K&8.2M**Cabel Spcs:** 1.2DIA*600MM**Packing:** 100pcs/ctn; 12kgs; 38*29*20cm**Cablelock-2A****E3101****Size:** 60*34*22MM**Frequency:** 58KHZ/8.2MHZ/58K&8.2M**Cabel Spcs:** 1.2DIA*175MM**Packing:** 100pcs/ctn; 7kgs; 38*29*16cm**Cablelock-3A****E3102****Size:** 60*34*22MM**Frequency:** 58KHZ/8.2MHZ/58K&8.2M**Cabel Spcs:** 1.2DIA*175MM**Packing:** 100pcs/ctn; 7kgs; 38*29*16cm**Cablelock-2A****E3103****Size:** 60*32*18MM**Frequency:** 58KHZ/8.2MHZ**Cabel Spcs:** 1.8DIA*110MM**Packing:** 100pcs/ctn; 7kgs; 38*29*16cm

**Cablelock-3A** **E3104**

Size: 60*32*18MM
Frequency: 58KHZ/8.2MHZ
Cabel Spcs: 1.8DIA*110MM
Packing: 100pcs/ctn; 7kgs; 38*29*16cm

**Alarming Pin-2A** **E3201**

Size: 50*40*25MM
Frequency: 58KHZ/8.2MHZ
Pin Length: 16/19MM
Packing: 100pcs/ctn; 6kgs; 38*29*16cm

**Alarming Pin-3A** **E3202**

Size: 50*40*25MM
Frequency: 58KHZ/8.2MHZ
Pin Length: 16/19MM
Packing: 100pcs/ctn; 6kgs; 38*29*16cm

**Alarming Pin-2A** **E3205**

Size: 50*35*20MM
Frequency: 58KHZ/8.2MHZ/58K&8.2M
Pin Length: 16/19MM
Packing: 100pcs/ctn; 6kgs; 38*29*16cm

EAS+RFID Combination Tag

EAS/RFID combination tag use EAS magnet bar and RFID inlay with optimized structure design to avoid interference, meet the best performance for both EAS and RFID detection distance. This tag can meet the mutual demand of shops with EAS or RFID system, RFID chips selected according to customer requirement.

**E1601****Frequency:** 58K+RFID**Tag Size:** 70*30*20mm**Detection Mono:** ≥80cm**Packing:** 1000pcs/ctn;**Carton Size:** 38*29*33cm; 12kgs

Mechanical Lock Tag



E1610
with Electric Drive
detacher E5510

Frequency

58K/8.2M

Dimension

66*30*18mm

Pin Length

16mm/ 19mm

Color

Black or customized

Lock System

Mechanical



Detection Range

8.2MHz: 0.8-1.2m

58KHz: 1.0-1.3m

Packing:

1000pcs/ctn;10kgs;38*29*31cm



Push the tag into the detacher as indication, wait the green light ON, detaching is done, take out the pin to remove the tag from goods.

LED and speaker indicate tag status as below

Indication

Red light steady ON

Green light ON



Status


Detacher standby

Detaching done



**Mini Square** **E1001****Size:** 48*42*18MM**Frequency:** 8.2MHZ**Packing:** 1000pcs/ctn; 10kgs; 38*29*25cm**Tiny Square** **E1002****Size:** 43*38*18MM**Frequency:** 8.2MHZ**Packing:** 1000pcs/ctn; 9kgs; 38*29*22cm**Golf Smooth-S** **E1003****Size:** 45MM DIA**Frequency:** 8.2MHZ/58KHZ**Packing:** 500pcs/ctn; 8kgs; 38*29*22cm**Golf Smooth-M** **E1004****Size:** 54MM DIA**Frequency:** 8.2MHZ/58KHZ**Packing:** 500pcs/ctn; 10kgs; 38*29*33cm**Golf Groove-L** **E1006****Size:** 63MM DIA**Frequency:** 8.2MHZ/58KHZ**Packing:** 250pcs/ctn; 6kgs; 38*29*25cm**R45 TAG** **E1007****Size:** 50MM DIA**Frequency:** 8.2MHZ/58KHZ**Packing:** 1000pcs/ctn; 10kgs; 38*29*25cm

**R50 with Pin** **E1008****Size:** 50MM DIA**Frequency:** 8.2MHZ/58KHZ**Packing:** 500pcs/ctn; 8kgs; 38*29*33cm**R52 with Pin** **E1009****Size:** 52MM DIA**Frequency:** 8.2MHZ**Packing:** 500pcs/ctn; 8kgs; 38*29*30cm**R42 Tag** **E1010****Size:** 42MM DIA**Frequency:** 8.2MHZ**Packing:** 1000pcs/ctn; 9kgs; 38*29*25cm**R50 Tag** **E1011****Size:** 50MM DIA**Frequency:** 8.2MHZ**Packing:** 1000pcs/ctn; 11kgs; 38*29*33cm**R53 Tag** **E1012****Size:** 53MM DIA**Frequency:** 8.2MHZ**Packing:** 1000pcs/ctn; 11kgs; 38*29*33cm**Pencil-S** **E1013****Size:** 45*19*12MM**Frequency:** 8.2MHZ/58KHZ**Packing:** 1000pcs/ctn; 8kgs; 38*29*13cm


Pencil-M E1014
Size: 50*19*13MM

Frequency: 8.2MHZ/58KHZ

Packing: 1000pcs/ctn; 9kgs; 38*29*16cm


Pencil-M E1015
Size: 54*18*15MM

Frequency: 8.2MHZ/58KHZ


Packing: 1000pcs/ctn; 9kgs; 38*29*16cm

Pencil-L E1016
Size: 61*15*20MM

Frequency: 8.2MHZ/58KHZ

Packing: 1000pcs/ctn; 12kgs; 38*29*20cm

Pencil-L E1017
Size: 65*17*18MM

Frequency: 8.2MHZ/58KHZ

Packing: 1000pcs/ctn; 11kgs; 38*29*20cm

Pencil-XL E1018
Size: 72*17*18MM

Frequency: 8.2MHZ/58KHZ

Packing: 1000pcs/ctn; 15kgs; 38*29*25cm

Pencil-MG E1019
Size: 70*30*19MM

Frequency: 58KHZ

Packing: 1000pcs/ctn; 12kgs; 38*29*33cm


Pencil-Ultra **E1020**
Size: 75*30*20MM

Frequency: 58KHZ

Packing: 500pcs/ctn; 7kgs; 38*29*20cm

Fish tag **E1021**
Size: 59*18MM

Frequency: 58KHZ

Packing: 1000pcs/ctn; 8.5kgs; 38*29*16cm

Slipper Tag **E1023**
Size: 61*30MM

Frequency: 58KHZ

Packing: 1000pcs/ctn; 8kgs; 59*40*13cm

Triangle Tag **E1024**
Size: 59*22MM

Frequency: 58KHZ

Packing: 1000pcs/ctn; 12.5kgs; 59*40*13cm

Padlock **E1028**
Size: 60*37MM

Frequency: 8.2MHZ/58KHZ

Packing: 1000pcs/ctn; 15kgs; 38*29*35cm

Clutch **E1101**
Size: 27DIA*19MM

Frequency: N/A

Packing: 2000pcs/ctn; 11kgs; 38*29*20cm

**Stop Lock E1102**

Size: 39*19*15MM
Frequency: N/A
Inner Dia: 6MM
Packing: 2000pcs/ctn; 12kgs; 38*29*22cm

**Golf Tag E1103**

Size: 56*33.5*28.6MM
Frequency: 58KHZ
Packing: 500pcs/ctn; 12kgs; 38*29*25cm

**Stop Lock E1104**

Size: 39*19*15MM
Frequency: N/A
Inner Dia: 8MM
Packing: 2000pcs/ctn; 13kgs; 38*29*30cm

CUSTOM DEVELOPMENT

Built around your
requirements.


Product design · Molds · Samples



**Lanyard Pencil E1201**

Size: 53*12*20MM
Frequency: 8.2MHZ/58KHZ
Lanyard Length: 175mm
Packing: 1000pcs/ctn; 11kgs; 38*29*25cm

**Lanyard Footwear Tag E1202**

Size: 28.5*18.5*23MM
Frequency: 8.2MHZ/58KHZ
Lanyard Length: 175mm
Packing: 1000pcs/ctn; 20kgs; 38*29*16+25cm

**Lanyard Pencil-SP** **E1203****Size:** 46*19*13MM**Frequency:** 8.2MHZ/58KHZ**Lanyard Length:** 175mm**Packing:**1000pcs/ctn; 9.5kgs; 38*29*14cm**Lanyard Napoleon** **E1204****Size:** 39*25*19MM**Frequency:** 8.2MHZ/58KHZ**Lanyard Length:** 175mm**Packing:**1000pcs/ctn; 11kgs; 38*29*25cm**Lanyard Triangle Tag** **E1205****Size:** 59*22MM**Frequency:** 58Khz**Lanyard Length:** 175mm**Packing:**1000pcs/ctn; 15kgs; 59*40*16cm**Lipstick Safer** **E7037****Size:** 45DIA*160mm**Frequency:** 8.2MHZ/58KHZ**Inner Size:** 24DIA*85-160MM**Packing:**100pcs/ctn; 4.5kgs; 30*24*35cm

**Ink Tag** **E1301****Size:** 50DIA*20MM**Frequency:** 8.2MHZ/58KHZ**Packing:** 500pcs/ctn; 8kgs; 38*29*25cm**Ink Tag** **E1302****Size:** 50DIA*19MM**Frequency:** 8.2MHZ/58KHZ**Packing:** 1000pcs/ctn; 12kgs; 38*29*33cm**Ink Pin** **E1303****Size:** 42*28*11MM**Frequency:** N/A**Pin Length:** 16/19MM**Packing:** 1000pcs/ctn; 6kgs; 38*29*25cm**Ink Pin** **E1304****Size:** 42*26*11MM**Frequency:** N/A**Pin Length:** 16/19MM**Packing:** 1000pcs/ctn; 7kgs; 38*29*25cm**Pinless ink tag** **E1305****Size:** 54*14*16MM**Frequency:** 8.2MHZ/58KHZ**Packing:** 1000pcs/ctn; 10.5kgs; 38*29*16cm**Ink Tag** **E1306****Size:** 54DIA*23MM**Frequency:** 8.2MHz**Packing:** 500pcs/ctn; 10kgs; 38*29*33cm



Optical Tag **E1501**

Size: 60*16*24mm

Frequency: 8.2MHZ/58KHZ

Packing:1000pcs/ctn; 10kgs; 38*29*25cm



Optical Tag **E1502**

Size: : 70*16*24mm

Frequency: 8.2MHZ/58KHZ

Packing:1000pcs/ctn; 11kgs; 38*29*25cm




Optical Tag **E1503**

Size: 28.7*18*27mm

Frequency: 8.2MHZ/58KHZ

Packing:1000pcs/ctn; 8kgs; 38*29*16cm

**Bottle Tag** E1401**Size:** 50MM DIA**Frequency:** 8.2MHZ**Lanyard Length:** 160mm**Packing:** 250pcs/ctn; 7kgs; 38*29*22cm**Bottle Tag** E1402**Size:** 36*30MM**Frequency:** 58KHZ**Lanyard length:** 160mm**Packing:** 500pcs/ctn; 13kgs; 38*29*30cm**Bottle Tag** E1403**Size:** 36*30MM**Frequency:** 58Khz**Lanyard length:** 160mm**Packing:** 500pcs/ctn; 10kgs; 38*29*30cm**Bottle Cap** E1404**Size:** 65Dia*80MM**Frequency:** 58Khz**Packing:** 200pcs/ctn; 13kgs; 57*30*37cm**Bottle Cap** E1405**Size:** 70*45MM**Frequency:** 58KHZ**Packing:** 500pcs/ctn; 10kgs; 38*29*30cm**Bottle Cap** E1406**Size:** 55*75MM**Frequency:** 8.2MHZ/58KHZ**Packing:** 125pcs/ctn; 13kgs; 38*29*30cm


Bottle Tag **E1407**
Size: 50MM DIA

Frequency: 8.2MHZ/58KHZ


Lanyard length: 160mm

Packing: 0pcs/ctn; 11.5kgs; 59*40*20cm


Bottle Tag **E1408**
Size: 50MM DIA

Frequency: 8.2MHZ/58KHZ

Lanyard length: 160mm

Packing: 250pcs/ctn; 7kgs; 38*29*30cm

Bottle Tag **E1409**
Size: 58*51*13MM

Frequency: 8.2MHZ/58KHZ

Packing: 1000pcs/ctn; 13.5kgs; 59*40*16cm

Bottle Cap **E1410**
Size: 58*51*32MM


Frequency: 8.2MHZ/58KHZ

Packing: 500pcs/ctn; 9.5kgs; 59*40*16cm

Bottle Cap **E1411**
Size: 90*75*42MM

Frequency: 8.2MHZ/58KHZ

Packing: 100pcs/ctn; 7kgs; 59*40*13cm


Ferrite Coil **E1701**
Ferrite: 4Dia*25mm

Frequency: 58KHZ

Packing: 6000pcs/ctn; 12.5kgs; 38*26*15cm

Ferrite Coil **E1702**
Ferrite: 4Dia*28mm

Frequency: 58KHZ

Packing: 5000pcs/ctn; 13.5kgs; 38*26*15cm


Ferrite Coil **E1703**
Ferrite: 25mm

Frequency: 58KHZ


Packing: 8000pcs/ctn; 11.2kgs; 38*26*15cm

Ferrite Coil **E1704**
Ferrite: 33mm

Frequency: 58KHZ


Packing: 4000pcs/ctn; 12kgs; 38*26*15cm

Ferrite Coil **E1705**
Ferrite: 39mm


Frequency: 58KHZ

Packing: 4000pcs/ctn; 14.5kgs; 38*26*15cm

Coil **E1706**
Size: 35mm Dia

Frequency: 8.2MHZ

Packing: 20000pcs/ctn; 11kgs; 48*37*42cm

**Coil** **E1707****Size:** 42mm Dia**Frequency:** 8.2MHZ**Packing:** 10000pcs/ctn; 5.7kgs; 48*37*32cm**Coil** **E1708****Size:** 45mm Dia**Frequency:** 8.2MHZ**Packing:** 10000pcs/ctn; 5.9kgs; 48*37*42cm**Coil** **E1709****Size:** 40*33mm**Frequency:** 8.2MHZ**Packing:** 20000pcs/ctn; 11.4kgs; 48*37*42cm**Coil** **E1710****Size:** 40*22mm**Frequency:** 8.2MHZ**Packing:** 10000pcs/ctn; 15kgs; 48*37*32cm


Lanyard **E4001**
Size: 1.2DIA*175MM

Packing:10000pcs/ctn; 14kgs; 38*29*10cm

Lanyard **E4002**
Size: 1.8DIA*175MM

Packing:5000pcs/ctn; 13kgs; 38*29*16cm

Lanyard **E4003**
Size: 1.8DIA*175MM

Packing:5000pcs/ctn; 11kgs; 38*29*16cm

Lanyard **E4004**
Size: 1.8DIA*175MM

Packing:20000pcs/ctn; 16kgs; 38*29*20cm

Lanyard **E4005**
Size: 1.8DIA*200MM

Packing:20000pcs/ctn; 14kgs; 38*29*33cm

Steel Pin **E4101**
Size: 12MM DIA

Pin Length: 16/19MM

Packing:10000pcs/ctn; 15kgs; 38*29*16cm


Steel Pin **E4102**
Size: 14MM DIA

Pin Length: 16/19MM

Packing: 10000pcs/ctn; 21kgs; 38*29*25cm

Plastic Pin **E4103**
Size: 20MM DIA

Pin Length: 16/19MM

Packing: 10000pcs/ctn; 10kgs; 38*29*33cm

Clear Pin **E4104**
Size: 30MM DIA

Pin Length: 16/19MM

Packing: 4000pcs/ctn; 9kgs; 38*29*35cm

Revolving Pin **E4105**
Size: 12MM DIA

Pin Length: 16/19MM

Packing: 10000pcs/ctn; 20kgs; 38*29*16cm

Plastic Pin **E4106**
Size: 14MM DIA

Pin Length: 16/19MM

Packing: 10000pcs/ctn; 10kgs; 38*29*25cm





RF Label 40x40 **E2001**
Size: 40*40MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 10kgs; 38*29*25cm

RF Label 30x30 **E2002**
Size: 30*30MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 7kgs; 38*29*22cm

RF Label Dia40 **E2003**
Size:40MM DIA

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 9kgs; 38*29*25cm

RF Label-Printable **E2004**
Size:40*40MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 11kgs; 38*29*25cm

RF Sew in Label **E2005**
Size: 46*60MM

Frequency: 8.2MHZ

Packing:10000pcs/ctn; 10kgs; 45*25*25cm


RF Freezer Label **E2006**
Size: 40*40MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 11kgs; 38*29*25cm


Non-deactivatable RF Label 40x40 E2007
Size: 40*40MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 12kgs; 38*29*25cm

RF Label 50x50 E2008
Size: 50*50MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 16kgs; 38*29*30cm


RF Sew in Label (COIL INSIDE) E2009
Size:48*54MM

Frequency: 8.2MHZ

Packing:1000pcs/ctn; 4kgs; 38*29*16cm

RF Freezer Label E2010
Size:50*50MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 16kgs; 38*29*30cm

RF LABEL 50*15MM E2011
Size:50*15MM

Frequency: 8.2MHZ

Packing:20000pcs/ctn; 5.7kgs; 31*31*11cm

AM label E2101
Size: 45*11MM

Frequency: 58KHZ

Packing:20000pcs/ctn; 13kgs; 44*29*25cm


AM label-Insert **E2102**
Size: 51*11MM

Frequency: 58KHZ

Packing: 12000pcs/ctn; 7kgs; 44*29*25cm

AM Sew-in Label **E2103**
Size: 65*20MM

Frequency: 58KHZ

Packing: 10000pcs/ctn; 8kgs; 43*29*22cm

AM Waterproof Label **E2104**
Size: 52*17MM

Frequency: 58KHZ

Packing: 10000pcs/ctn; 9kgs; 38*29*25cm

AM Nondeactivatable Label **E2105**
Size: 45*11MM

Frequency: 58KHZ

Packing: 16000pcs/ctn; 15kgs; 38*29*25cm

AM Roll Label **E2106**
Size: 45*11MM

Frequency: 58KHZ

Packing: 50000pcs/ctn; 17.5kgs; 46*46*60cm


Detacher-Manual E5001
Size: 15DIA*95MM

Strength: N/A

Packing: 50pcs/ctn; 2kgs; 20*20*15cm


Detacher-Mini E5002
Size: 22DIA*58MM

Strength: Norma

Packing: 200pcs/ctn; 14kgs; 38*29*20cm

Detacher E5003
Size: 68DIA*25MM

Strength: Normal

Packing: 100pcs/ctn; 21kgs; 38*29*25cm

Detacher E5004
Size: 75DIA*45MM

Strength: Super

Packing: 50pcs/ctn; 22kgs; 38*29*25cm

Detacher E5005
Size: 70DIA*45MM

Strength: Super

Packing: 50pcs/ctn; 21kgs; 38*29*25cm

Detacher E5006
Size: 82DIA*75MM

Strength: Super

Packing: 50pcs/ctn; 20kgs; 38*29*33cm


Detacher Lid **E5007**
Size: 21DIA*34MM

Strength: N/A

Packing: customized

Multi-function detacher **E5008**
Size: 111*50*47MM

Strength: Super/Ultra

Packing: 30pcs/ctn; 12kgs; 38*29*22cm

Multi-function detacher **E5009**
Size: 111*50*47MM

Strength: Super/Ultra

Packing: 30pcs/ctn; 12kgs; 38*29*22cm

Detacher-Mini **E5010**
Size: 40DIA*40MM

Strength: Super/Ultra


Lanyard Length: 1200MM

Packing: 100pcs/ctn; 25kgs; 42*29*17cm

Detacher with Lanyard **E5011**
Size: 40DIA*40MM

Strength: Super

Lanyard Length: 1200MM


Packing: 100pcs/ctn; 25kgs; 42*29*17cm

Detacher-Ultra **E5012**
Size: 69Dia*x40.5mm

Strength: Ultra

Packing: 50pcs/ctn; 25kgs; 38*29*25cm


Detacher Locker E5013
Size: 45DIA*38MM

Strength: N/A

Packing: customized

Detacher-Ultra E5014
Size: 83DIA*67MM

Strength: Ultra

Packing: 15pcs/ctn; 20kgs; 38*29*22cm

Detacher-Universal E5101
Size: 200*100*60MM

Strength: Super

Packing: 5pcs/ctn; 10kgs; 27*27*50cm

Detacher-Manual E5102
Size: 200*100*30MM

Strength: N/A

Packing: 10pcs/ctn; 6kgs; 38*29*30cm

Detacher-Manual E5103
Size: 200*100*30MM

Strength: N/A

Packing: 10pcs/ctn; 5kgs; 38*29*25cm

Detacher-Electric E5104
Size: 220*170*60MM

Strength: Super

Packing: 10pcs/ctn; 19kgs; 40*40*50cm



Detacher-Electric E5105

Size: 150*100*60MM

Strength: Super

Packing: 10pcs/ctn; 17kgs; 30*30*50cm



Detacher-Electric Mechanical E5510

Size: 100*100*100MM

Strength: Special Designed for Tag E1610

Packing: 10pcs/ctn; 17kgs; 30*30*50cm


AM Deactivator E6001

Size: 225*190MM
Frequency: 58KHz
Hole Size: 210*175MM
Power: 220V Only
Packing: 10pcs/ctn; 21kgs; 38*29*90cm


AM Deactivator E6001U

Size: 225*190MM
Frequency: 58KHz
Hole Size: 210*175MM
Power: 110V / 220V
Packing: 10pcs/ctn; 21kgs; 38*29*90cm


AM Deactivator Pad E6002

Size: 157x106x5MM
Frequency: 58KHz
Hole Size: N/A
Power: N/A
Packing: 90pcs/ctn; 16kgs; 38*29*15cm


AM Deactivator E6003

Size: 240*220MM
Frequency: 58KHz
Hole Size: 220*180MM
Power: 220V Only
Packing: 10pcs/ctn; 22kgs; 38*29*90cm


RF Deactivator E6102

Size: 245*235MM
Frequency: 8.2MHz
Hole Size: 220*205MM
Power: 110V / 220V
Packing: 10pcs/ctn; 18kgs; 38*29*90cm


RF Deactivator with Counter-Glass E6104

Size: 240*240*30MM
Frequency: 8.2MHz
Hole Size: 220*220MM
Power: 110V / 220V
Packing: 10pcs/ctn; 20kgs; 38*29*90cm



RF Deactivator with Counter-PC E6105

Size:240*240*30MM

Frequency:8.2MHz

Hole Size: 220*220MM

Power:110V / 220V

Packing:10pcs/ctn; 18kgs; 38*29*90cm



Website: www.essencetag.com

E-mail: ys@essencetag.com